



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 1 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

#01 | 2 | EA | AIR MOVER

153488

3- speed powerful 2200 CFM (max) dries carpets and subfloors quickly and completely. Efficient motor technology results in low amp draw without sacrificing air flow. Isolation motor mounts reduce noise and vibration during operation. Innovative interior housing design produces higher CFM with reduced noise levels. Vertically stackable for convenient storage. Non-marking foot bumpers ensure stability during use.

Specifications:

Motor: .4 HP/360 Watt/Capacitor Start & Run  
Amperage: Low – 2.4 A, Medium – 2.7 A, High – 3.0 A  
Decibel: Low – 63 dBA  
Medium – 65 dBA  
High – 66 dBA  
Airflow: 2200 CFM (max)  
Housing: 2-Piece High-Impact Polypropylene  
w/Built-in Cord Wrap  
Storage: Vertically stackable with top-mounted carry handle  
Blower Wheel: High-Impact Polypropylene  
Drying Positions: Three - 0°, 45°/60° (XP model only), 90°  
Transportation: Telescoping handle and transport wheels (XP model only)  
Power Cord: 30', 18-3 AWG w/Grounded Plug

Size/Color -

Acceptable brands - Waxie AirMover Base Model #571782

☒ or approved equal (sample/literature required)  
☐ only

\$ \_\_\_\_\_ \$ \_\_\_\_\_

\_\_\_\_\_  
BRAND/MODEL #

\_\_\_\_\_  
Is item available now?  
Give due date



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 2 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 02	1	EA	<b>EXTRACTOR, CARPET (COMPACT)</b>	\$ _____	\$ _____
153548			Increase convenience with forward and reverse cleaning. Lift-off solution and recovery tanks can be filled and emptied almost anywhere – under most faucets, sinks, and drains. Clean in hard-to-reach areas with the Strive Compact's small size and optional tools. Tough construction with corrosion-resistant, cast aluminum frame, and durable polyethelyne rotomold tanks. Insta-Adjust™ handle increases operator comfort and folds down for convenient storage.  <u>Specifications:</u> Cleaning path 15 in Solution tank 5 gal Recovery tank 5 gal Roller size (dual cylindrical) 15 in Roller speed 450 rpm Roller motor (2) 0.3 hp Vacuum fan 2-stage, 1.2 hp Vacuum motor airflow (max) 99 cfm Vacuum system sealed water lift 86 in Solution pump pressure 65 psi Solution spray rate 0.2 gpm Sound level (operator's ear) 69 dBA Power cord 50 ft  Size/Color - 30"L x 19"W x 28"H  Acceptable brands - Tennant Nobles Strive Compact <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	  _____ BRAND/MODEL #  _____ Is item available now? Give due date	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 3 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 03 | 1 | EA | **EXTRACTOR, CARPET (LOW PROFILE)**

\$ \_\_\_\_\_ \$ \_\_\_\_\_

153461

Superior cleaning performance with dual overlapping spray jets and exceptional vacuum suction. Easily clean around and under objects like beds, desks, and tables with the compact, low profile design. The Insta-Adjust handle extends cleaning reach. Deliver a quiet clean for noise sensitive environments and during business hours with true OSHA recognized 69 dBA sound level. Easy to fill, empty, and clean Hygenic® tanks offer a unique compact design. Ergonomic handles and grips ensure easy pick-up.

\_\_\_\_\_  
BRAND/MODEL #

\_\_\_\_\_  
Is item available now?  
Give due date

Specifications:

Cleaning path 15 in  
Brush speed 1,200 rpm  
Brush motor 0.4 hp / 0.30 kW  
Solution/recovery tank 5 gal  
Water lift 86"  
Vacuum motor 1.2 hp  
Power cord 50 ft  
Sound level 69 dBA

Size/Color -

Acceptable brands - | Tennant E5

☒ or approved equal (sample/literature required)  
☐ only



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 4 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 04	1	EA	<b>EXTRACTOR, CARPET (SELF-CONTAINED)</b>	\$ _____	\$ _____
153541			Dual Cleaning Mode technology for fast dry times. Indirect spray is used in the low moisture/high productivity mode so less chemical and water are used. The flip of a switch engages the deep cleaning restorative mode. Incorporate an onboard spotting & upholstery tool & hose allowing the operator to multitask & clean furniture at the same time as carpet. Features a flip over handle, so they can be operated as a traditional pull-back extractor or an ergonomic walk-behind.  Solution Tank: 11 gal Recovery Tank: 9 gal Flow Rate DCM Mode: 0.33 gpm @ 60 psi Flow Rate Rest. Mode: 0.7 gpm @ 60 psi Vacuum Motor: 1.5 hp, 3 stage Brush Motor: 1/3 hp Brush Size/Cleaning Path: 18" Vacuum Shoe: 20" Power Cable: 50' - detachable Waterlift: 117" Weight 110 lb.	_____	_____
				BRAND/MODEL #	
				Is item available now? Give due date	
			Size/Color -		
			Acceptable brands -	Advance Aquaclean 18FLX #56265001	
				<input checked="" type="checkbox"/> or approved equal (sample/literature required)	
				<input type="checkbox"/> only	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 5 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 05	1	EA	<b>EXTRACTOR, CARPET (WIDE TRACK)</b>	\$ _____	\$ _____
153491			<u>Includes:</u> (1) Universal Hand Tool With 12 Foot Hose Attachment); (2) Oxy-Steam™ Carpet Cleaner – 48 oz; Hi-Traffic Pre-Treatment – 24 oz; Urine Eliminator® – 24 oz: Spot & Stain Remover – 24 oz; Odor Remover – 16 oz; Upholstery Cleaner – 32 oz.		
			<u>Specifications:</u> Fill Coverage: 159 sq. ft. Adjustable Handle Height: 35.5" - 37.5" Brush Width: 11.25 in Brush Type: Vibrating Vacuum Path Width: 12.4 in Solution Pump: Dual Pump and Two Jets Pump Pressure: 32 psi Solution Tank Capacity: 3.7 gal Recovery Tank Capacity: 4.8 gal Vacuum Motor: 1.74 hp Water Lift: 101 in Electrical Requirement: 120 volts Amps: 11 Hand Tool Hose Length: 12 ft 44 lbs.	<u>BRAND/MODEL #</u>	
				Is item available now? Give due date	
		Size/Color -	27.5" H 13" W 24" D		
		Acceptable brands -	Rug Doctor Wide Track		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 6 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 06	1	EA	<b>FLOOR FINISH APPLICATOR SYSTEM</b>	\$ _____	\$ _____
------	---	----	---------------------------------------	----------	----------

153548

An integrated system that delivers a more consistent appearance, improved productivity and virtually eliminates product waste.

Increase Productivity: Dramatically reduces set-up and clean-up times. Faster application time to apply finish. Ergonomic design reduces user fatigue.

Increase Quality Results: Easy training, Consistent application

Cost-Savings: Reduces chemical usage, Pump mechanism, finish feed lines and manifold are all disposable, reducing labor costs and service calls

Sustainable System For The Environment: Significantly reduces water consumption due to disposable components. Reduces waste of finish and packaging.

Includes starter kit of 1 pad, 3 sets of tubes, 3 manifolds and 3 shower caps/

\_\_\_\_\_  
BRAND/MODEL #

\_\_\_\_\_  
Is item available now?  
Give due date

Size/Color -

Acceptable brands - Diversey TrailBlazer #5122912

☒ or approved equal (sample/literature required)

☐ only



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 7 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 07	1	EA	<b>FLOOR MACHINE, ORBITAL</b>	\$ _____	\$ _____
153437			For compact spaces. Powerful chemical free floor finish removal.	_____	
			Specifications:	_____	
			Cleaning path 20 in	Is item available now?	
			Scrub motor 1.5 HP	Give due date	
			Orbital head speed: 1740 rpm		
			Cord length: 50'		
			Cord type: Interlock pigtail, safety yellow		
			Two standard weight sets are included at 48 lbs		
			Sound level (operator's ear): <70 dBA		
			189 lbs.		
			Size/Color -		
			Acceptable brands - Tennant F14		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		

---

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**Page 8 of 33

---

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 08	1	EA	<b>FLOOR MACHINE, VARIABLE SPEED</b>	\$ _____	\$ _____
153493			<p>Polish, spray buff, scrub, and strip. Dual switch levers allow the operator to easily control the side-to-side movement. Metal cord strain relief and internal compression lock prevent the cord from being pulled out of the machine. Sturdy 1.5-in tube handle is chrome-plated to resist corrosion. Built-in cord wrap hook provides easy storage for the power cord when not in use. Locking lever lets operator adjust handle to comfortable position. 360° non-marking bumper protects walls and fixtures from accidental damage.</p> <p><u>Specifications:</u> Pad or Brush: 17" Motor: Type: Permanent magnet, DC rectified, HP: 1.5 HP, Size: 66 frame, Voltage: 110-120V. Current: 15 amps@ 120V, 7.5 amps @ 240V Gear: 3-idler planetary, 10:1 ratio Pad Speed: Variable between: 310 RPM (high) 200 RPM (low) Cord: 75' Productivity: Polish 7,000 sq ft per hour; Scrub 2,700 sq ft per hour, Shampoo 1,200 sq ft per hour, &amp; Spray Buff 2, 700 sq ft per hour.</p> <p>Size/Color - 26"L x 22"W x 48"H</p> <p>Acceptable brands - NSS Maverick 300</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
# 09	1	EA	<b>FLOOR WAND ASSEMBLY</b>	\$ _____	\$ _____
153541			<p>Heavy duty soft floor wand, stainless steel wand assembly with single spray jet, drag handle and stainless steel shoe.</p> <p>For use with Advance Amphibian Extractor/Scrubber.</p> <p>Size/Color -</p> <p>Acceptable brands - Advance #56265305</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	





**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page 9 of 33

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 10	1	EA	<b>HOSE ASSEMBLY, FLEXIBLE SOLUTION &amp; RECOVERY</b>  For use with Advance Amphibian Extractor/Scrubber  153541   Size/Color - 15 foot  Acceptable brands - Nilfisk-Advance #56265174 <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	\$ _____	\$ _____
				BRAND/MODEL # _____	
				Is item available now? Give due date _____	
# 11	8	EA	<b>MOP BUCKET &amp; WRINGER SYSTEM</b>  The WaveBrake® mop bucket and wringer system reduces splashing, which means a safer environment, cleaner floors, and improved productivity.  Massive capacity for the largest commercial cleaning jobs.  Foot pedal water evacuation conveniently located, no lifting required, for worker well-being.  Lasts 58 times longer than comparative wringers.  Tested to exceed 50,000 wringing cycles, average wringers perform approximately 860 cycles.  Premium tubular steel and Structural Web molded plastic.  High efficiency side press wringer.  153481   Size/Color - 35 qt - Yellow  Acceptable brands - Rubbermaid WaveBrake FG767700 <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	\$ _____	\$ _____
				BRAND/MODEL # _____	
				Is item available now? Give due date _____	



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **10** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 12	10	CSE	<b>PADS, STRIPPER</b>	\$ _____	\$ _____
153541			Maintains consistent high performance throughout the life of the pad. Black, 10 per case		
				_____	
				BRAND/MODEL #	
				_____	
				Is item available now?	
				Give due date	
			Size/Color - 20" x 14" - Black - 10/case		
			Acceptable brands - 3M 7200 #00048011592572 (Waxie #260172)		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		

# 13	1	EA	<b>SCRUBBER, FLOOR (COMPACT)</b>	\$ _____	\$ _____
153527			Features high speed orbital action and agitation. BOOST technology produces high speed agitation with small 1/4" orbits. The orbital scrubbing action cleans 6x more effectively than tradition disc scrubbers. Chemical free removal of floor finish, up to 70% less water usage, 50% less dump & fill time, and 40% longer pad life.		
				_____	
				BRAND/MODEL #	
				_____	
				Is item available now?	
				Give due date	
			<u>Specifications:</u> Cleaning Width 20" Drive type: Power Traction Working voltage: 24 V DC Batteries (2): 12 V 114Ah @ 20 hr rating (AGM) and pad driver Battery Protection System: Low voltage cut-off of brush & solution Vacuum Motor Power: 0.5 hp, 2 stage tangential discharge Solution & Recovery Tank: 14.5 gal Suction Flow: 0 - 0.3 gal/min Brush Motor Power: 0.75 hp Brush Pressure: 40 & 75 lb. Brush & Pad size: 14 x 20" Brush Speed: 2250 RPM Sound Level: 65.8 dB A Squeegee width: 29.9"		
			Size/Color - 51" x 29" x 42"		
			Acceptable brands - Clarke Focus II BOOST L20		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **11** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 14	1	EA	<b>SCRUBBER, FLOOR (MICRO RIDER)</b>	\$ _____	\$ _____
153495			Key machine features: Hygenic tank is easy to clean, helping to reduce onboard mold, bacteria, and odors. Quiet 67 dBA sound level for scrubbing in noise-sensitive environments.  Cleaning path: 26" disk Hygienic™ Solution tank capacity: 29 gallon Scrub Motors: (2) 0.75 hp Brush speed: 225 rpm Brush down pressure (variable to): 80, 120, & 160 lb Brush / quantity & size: (2) 13 in Hygienic™ Recovery tank capacity: 29 gallon Vacuum fan: Motor 0.6 hp; Stages: 3-stage; Water lift: 70 in Propel speed: Transport: 4.0 mph & Scrubbing: 3.6 mph Batteries (4) 6V Minimum aisle turn: 68.5" Sound level (operator's ear): 67 dBa  Size/Color - 60"L x 33.25" (w/squeegee) x 50"H  Acceptable brands - Tennant T7  <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	  _____ BRAND/MODEL #  _____ Is item available now? Give due date	



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **12** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 15	1	EA	<b>SCRUBBER, FLOOR (WALK BEHIND)</b>	\$ _____	\$ _____
153495			Parabolic, no hassle squeegee system with optimum blade angle for maximum solution recovery during scrubbing. Clear sight lines and simple controls keep operators focused solely on their cleaning environment. Hygenic solution and recovery tanks are easy to clean, which can reduce mold, bacteria, and odor	_____	_____
			<u>Specifications:</u> Chassis/Body Construction: Roto-molded polyethylene Cleaning path: 17" Brush motor: 1.0 hp /.75 kW Brush: 230 rpm Brush/pad pressure: 50 & 90 lbs. Solution tank: 10.5 gal Recovery tank: 15 gal Vacuum motor: 0.5 hp - Two Stage Vac motor: 65 cfm Vac motor sealed waterlift: 40" Squeegee: 30" (760 mm) curved squeegee assembly with quick change four sided blade. System Voltage: 24 Volt Battery amp hour rating: 105 AH @ 20hr Battery Count: 2 Battery run time (continuous cleaning rating): 2.5 hours Sound level (operator's ear): 68.5 dBA Minimum Aisle Turn: 48.75" Power consumption Amps: 27 amp nominal	_____	_____
			Size/Color - 48"L x 30" (w/squeegee) x 43"H		
			Acceptable brands - Tennant T3 17" Pad Assist		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 13 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 16		1		EA		SCRUBBER, FLOOR (WALK BEHIND)	\$	_____	\$	_____
153527						<u>Specifications:</u> Cleaning Path: 20" Brush Motor Horsepower: 1.0 hp Brush RPM: 230 Solution Capacity: 10.5 Gallon Recovery Tank Capacity: 15 Gallon Vacuum Motor: .5 hp - Two Stage Vacuum Motor CFM: 65 cfm Vacuum Motor Sealed Water Lift: 40" Squeegee Description: 30" curved squeegee assembly with quick change four sided blade. System Voltage: 24 Volt Battery Amp Hour Rating: 155 AH @ 20 hr rate Battery Count: 2 Run Time (continuous) per charge: 3 hours Minimum Aisle Turn: 51" Power Consumption Amps: 30 amp nominal Decibel Rating (operator's position): 68.5 dBA				
						Size/Color - 50.25"L x 30" (w/squeegee) x 43"H				
						Acceptable brands - Tennant T3 20" w/Drive Non FasT #9003581				
						<input checked="" type="checkbox"/> or approved equal (sample/literature required)				
						<input type="checkbox"/> only				



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 14 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 17	1	EA	<b>SCRUBBER, FLOOR &amp; CARPET</b>	\$ _____	\$ _____
153541			<u>Specifications:</u> Scrub Style: Orbital Brush/Pad Speed: 3450 RPM Motor: 1.5 HP Electrical Usage: 110 Volts, 60 Hz Amperage: 6.4 amps Sound Output: 69 dB Pad Size: 14" x 20" Vibration Level: 42.0 Operating Weight: 114 lbs. Power Cord: 35', 14/3 gauge Wheels: 6" x 2" non-marking Removable weights: No. Construction: 10 gauge steel frame, powder coated Warranty: 2 years on the motor   1 year on non-wear parts Color: Red Dust containment kit: No.	<u>BRAND/MODEL #</u>	<u>Is item available now?</u> Give due date
Size/Color -					
Acceptable brands -			Square Scrub EBG-20-E		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **15** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 18	4	EA	<b>SCRUBBER, FLOOR &amp; CARPET</b>	\$ _____	\$ _____
------	---	----	-------------------------------------	----------	----------

153461 (1) With features like slotted removable weights that allow you to  
153484 (1) reduce weight to clean carpet and add weight for heavy duty jobs  
153546 (1) like stone polishing, the EBG-20/C is truly Versatile.

153541 (1)

Specifications:

CA/ETL/CE Certified: yes  
Maximum Weight Capacity: 329 lbs.  
Powder Coated Steel Frame: 10 Gauge  
3/4" Solid Steel Axle  
Adjustable Handle w/Transport Lock  
6"x2" Non-Marking Wheels  
Motor: 3450 rpm  
Operating Sound Output: 69 db  
Lighted Plug  
7 amp draw  
Vibration Level: 5.8  
Pad Size: 14" x 20"  
1-1/4" Isolators: 4  
Oscillations: 3450/minute  
Removable weights: Yes (slotted)  
Vibration Reducing Isolated Handle  
Stone Care Capable  
Carpet & Rug Institute Certified  
Dust Containment Kit: included

\_\_\_\_\_  
BRAND/MODEL #

\_\_\_\_\_  
Is item available now?  
Give due date

Size/Color -

Acceptable brands - Square Scrub EBG-20/C

☒ or approved equal (sample/literature required)

☐ only



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **16** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 19	1	EA	<b>UPHOLSTERY TOOL ASSEMBLY</b>	\$ _____	\$ _____
153541			Commercial Stainless Steel Hand Upholstery Tool With Integrated Spray Jet and Plastic Shoe.	_____	
			For use with Advance Amphibian Extractor/Scrubber	_____	
				Is item available now? Give due date	

Size/Color -

Acceptable brands - Nilfisk-Advance #56220070  
☒ or approved equal (sample/literature required)  
☐ only

# 20	3	EA	<b>VACUUM BAGS</b>	\$ _____	\$ _____
153538			Universal Black Filter Bag For Model M-1 PIG Vacuums	_____	
				_____	
				Is item available now? Give due date	

Size/Color - Black

Acceptable brands - NSS 1093011  
☒ or approved equal (sample/literature required)  
☐ only



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**Page **17** of **33**

---

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 21	1	KIT	<b>VACUUM TOOL KIT</b>	\$ _____	\$ _____
153546			Tool kit for use with <u>Pro Team Pro Guard 20 Wet/Dry Vacuum</u>  Kit Includes: - 11" crevice tool - 3" dust brush with reducer - 56" two piece, two bend aluminum wand with button lock - 14" hard floor tool with nylon brush - Squeegee tool  Size/Color - _____  Acceptable brands - <u>Pro Team #107187</u> <input checked="" type="checkbox"/> <i>or approved equal (sample/literature required)</i> <input type="checkbox"/> only	  _____ BRAND/MODEL #  _____ Is item available now? Give due date	
# 22	1	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153491			Ideally suited for cleaning tight areas, this comfortable, lightweight vacuum is excellent for offices, schools, theaters, auditoriums, retail stores, and even aircraft.  <u>Includes tool kit 6790141</u> — two-piece aluminum wand, 14-in carpet and bare floor tool, 16-in crevice tool, and 3-in round brush.  <u>Specifications:</u> Motor type: One-stage, flow-through 120V - AC standard HP: 1.8 Airflow: 103 CFM Waterlift: 98" Top fill cloth filter Body: Rotocast polyethylene Harness: "Hiker" style backpack harness for maximum comfort Cord: 50' Sound Level: 69 dBA Capacity: 6.5 dry quarts 10 lbs.  Size/Color - <u>25"H x 8"W x 8"L</u>  Acceptable brands - <u>NSS Outlaw BV 6706751 / Kit 6790141</u> <input checked="" type="checkbox"/> <i>or approved equal (sample/literature required)</i> <input type="checkbox"/> only	  _____ BRAND/MODEL #  _____ Is item available now? Give due date	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 18 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 23	2	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153492			<p>The Super CoachVac HEPA is a productivity powerhouse designed to tackle the most demanding cleaning challenges. This powerful and high filtration unit is ideal for vacuuming high square-footage areas that require the utmost cleanliness.</p> <p><u>Includes:</u> 1 1/2" static-dissipating vacuum hose, a 50' extension cord and two Intercept Micro® Filters.</p> <p><u>Specifications:</u> Watts: 1188 W Weight: 11 lbs. Decibels: 66 dBA Airflow: 150 CFM Static Lift: 100 in. Amps: 9.9 A Capacity: 10 qt. (11 L) Four Level Filtration: 1190 sq. in. w/ HEPA Level Filtration 11 lbs.</p> <p>w/Xover Tool Kit D (107100) includes: 14" Xover Floor Tool, 42 to 59" Aluminum Telescoping Wand, 17" Crevice Tool, 3" Dust Brush w/ Reducer, 5" Upholstery Tool</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
Size/Color -					
Acceptable brands - Pro Team Super CoachVac HEPA #107119 / Kit 107100					
<input checked="" type="checkbox"/> or approved equal (sample/literature required)					
<input type="checkbox"/> only					



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 19 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 24	1	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153495			<p>Ergonomic backpack design with patent pending FlexFit™ articulating harness increases range of motion, reduces fatigue, and improves productivity. New triangular shape fits closer to the body and moves with the user, reducing the chance of bumping into doorways, walls, or furniture.</p> <p><u>Specifications:</u> Watts: 1108 W Weight: Body: 10 lbs, Harness 2 lbs. Decibels: 66 dBA Airflow: 159 CFM Static Lift: 96 in. Amps: 9.5 A Capacity: 10 qt. (11 L) Four Level Filtration: 1372 sq. in. total area</p> <p>Includes: 1 1/2" static-dissipating vacuum hose, a 50' extension cord and two Intercept Micro® Filters. Xover Floor Tool Kit B (107098) includes: 14" Xover Floor Tool, 56" Two-Piece Two-Bend Aluminum Wand w/Button Lock, 17" Crevice Tool, 3" Dust Brush w/ Reducer, 5" Upholstery Tool</p> <p>Size/Color - _____</p> <p>Acceptable brands - Proteam Super Coach Pro #107304 / Kit B #107098</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required)</p> <p><input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 20 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 25	2	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153548			Ergonomic backpack design with patent pending FlexFit™ articulating harness increases range of motion, reduces fatigue, and improves productivity. New triangular shape fits closer to the body and moves with the user, reducing the chance of bumping into doorways, walls, or furniture.  <u>Specifications:</u> Watts: 1108 W Weight: Body: 10 lbs, Harness 2 lbs. Decibels: 66 dBA Airflow: 159 CFM Static Lift: 96 in. Amps: 9.5 A Capacity: 10 qt. (11 L) Four Level Filtration: 1372 sq. in. total area  Includes: 1 1/2" static-dissipating vacuum hose, a 50' extension cord and two Intercept Micro® Filters.	  _____ BRAND/MODEL #  _____ Is item available now? Give due date	
Size/Color -					
Acceptable brands -			Proteam Super Coach Pro 10 #107303		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 21 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 26	1	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153488			Ergonomic backpack design with patent pending FlexFit™ articulating harness increases range of motion, reduces fatigue, and improves productivity. New triangular shape fits closer to the body and moves with the user, reducing the chance of bumping into doorways, walls, or furniture  <u>Specifications:</u> Watts: 1108 W Weight: Body: 10 lbs, Harness 2 lbs. Decibels: 66 dBA Airflow: 159 CFM Static Lift: 96 in. Amps: 9.5 A Capacity: 10 qt. (11 L) Four Level Filtration: 1372 sq. in. total area  Includes: 1 1/2" static-dissipating vacuum hose, a 50' extension cord and two Intercept Micro® Filters.  Xover Floor Tool Kit D (107100) includes: 14" Xover Floor Tool, 42 to 59" Aluminum Telescoping Wand, 17" Crevice Tool, 3" Dust Brush w/ Reducer, 5" Upholstery Tool	  <u>BRAND/MODEL #</u>  <u>Is item available now?</u> Give due date	
Size/Color -					
Acceptable brands - Proteam Super Coach Pro 10 #107303 / Kit D #107100					
<input checked="" type="checkbox"/> or approved equal (sample/literature required)					
<input type="checkbox"/> only					



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 22 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 27	3	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153546			Ergonomic backpack design with patent pending FlexFit™ articulating harness increases range of motion, reduces fatigue, and improves productivity. New triangular shape fits closer to the body and moves with the user, reducing the chance of bumping into doorways, walls, or furniture.  <u>Specifications:</u> Watts: 1108 W Weight: Body: 9.6 lbs, Harness 2 lbs. Decibels: 66 dBA Airflow: 159 CFM Static Lift: 96 in. Amps: 9.5 A Capacity: 6 qt. Four Level Filtration: 1054 sq. in. total area  Includes: 1 1/2" static-dissipating vacuum hose, a 50' extension cord and two Intercept Micro® Filters.	  <u>BRAND/MODEL #</u>  <u>Is item available now?</u> Give due date	
Size/Color -					
Acceptable brands - Proteam Super Coach Pro 6 #107310					
<input checked="" type="checkbox"/> or approved equal (sample/literature required)					
<input type="checkbox"/> only					



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 23 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 28	2	EA	<b>VACUUM, BACK PACK</b>	\$ _____	\$ _____
153482			<p>Vac Pac's light weight and comfort-designed harness system. Quiet operation prevents disruptive cleaning. Rugged construction and simple design increase durability. Power switch is mounted on the hip within easy view and reach of the operator.</p> <p><u>Specifications:</u> Vacuum Motor: 1.7 hp (1295 watts), flow through design, with internal thermal protection, with 104" waterlift and 112 cfm of airflow Construction: Molded polyethylene housing Filter Bag Capacity: 10 quart Vacuum Hose: 5' (1.5 m), 1.5" (3.8 cm) diameter Exhaust: Diffused for quiet operation Filtration: 4 stage Harness: Padded hip and shoulder harness with 1.5" straps Sound Level: 67 dBA 11 lbs. ON/OFF Power Switch: Hip mounted for ease of use Tools: Wand, floor, upholstery, dusting and crevice tools included. Approvals: UL Listed to U.S. and Canadian safety standards</p> <p>Size/Color - 23.7" H x 8.8" W x 8.5" D</p> <p>Acceptable brands - Windsor VP10 #1.014-005.0</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 24 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 29	2	EA	<b>VACUUM, CANISTER</b>	\$ _____	\$ _____
153527			Maintain exceptional Indoor Environmental Quality (IEQ) with standard 3-stage HEPA 12 filtration and two settings for low 68 dBA and 59 dBA ultra-quiet sound levels.	_____	
			<u>VACUUM SYSTEM</u>	_____	
			Cleaning path 11 in	Is item available now?	
			Vacuum motor watts 300 W	Give due date	
			Vacuum voltage 110 V / 230 V		
			Vacuum power watts 1200 W		
			Airflow at orifice 76 cfm / 2.14 m3/min		
			Water lift at sealed orifice 25 kPa		
			16.8 lbs.		
			<u>POWER SYSTEM</u>		
			Power cord length 50 ft		
			<u>DUST CONTROL SYSTEM</u>		
			Triple filtration description 3-stage HEPA 12		
			Vacuum bag description Paper		
			Vacuum hose length 6.6 ft		
			Vacuum diameter 1.26 in		
			Vacuum bag capacity 2.4 gal		
			Sound level (operator's ear) 59.7 dBA		
			<u>ACCESSORIES:</u> Standard: Combination floor tool, accessory kit, telescopic aluminum wand		
			Size/Color -		
			Acceptable brands - Tennant V6		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		





KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 25 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 30	3	EACH	VACUUM, PORTABLE	\$	\$
153491 (2)			This is one vacuum that does it all—hard floors, carpet, furniture, fixtures, and drapes. With incredible suction and a lightweight wand, the “Pig” reaches up to 25 ft. overhead to clean areas other vacuums can’t—vents, beams, and even ceilings and skylights. Machined from high quality materials and warranted for 7 years.  <u>Specifications:</u> Cleaning Path: 12” Carpet & 14” Hard floor Vacuum Motor: Single-stage, bypass cooled by separate fan. Fan: 8 in. cast aluminum. Voltage: 120V, 60 Hz. HP: 1.5. RPM: 10,000 (avg) Amp: 12. Cord: 35 ft. Capacity: 48 quarts dry. Body: Cast Aluminum Casters: Two ball bearing , 3” swivel Wheels: Two rear-mounted, 6” fixed Sound level: 69dBA  <u>Basic carpet kit includes:</u> 12” Plain Shod Shoe; 1½” x 10’ Hose; & Aluminum Wand		
153538 (1)					
Size/Color -			32”H x 16.5”L x 12”W		
Acceptable brands -			NSS M-1 “Pig” / Kit #3093619		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		

BRAND/MODEL #

Is item available now?  
Give due date



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **26** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 31	1	EA	<b>VACUUM, UPRIGHT</b>	\$ _____	\$ _____
153530			<p>The PF14 2-motor, tools on board vacuum has triple clean air filtration system, and hard floor and carpet setting. An easy access side door lets you change brush strip with no hassle. The brush roll only operates when the handle is in the operating position. Electronic sensing controls include auto stop to prevent belt and motor wear and cord power connection indicator for easy replacement and troubleshooting.</p> <p><u>Specifications:</u> Handle: Aluminum with push pull grip Cord: 50 ft. 3 wire high visibility yellow, quick disconnect Bag: Enviro-Clean high filtration Vacuum Motor: 8.7 amp Ametek/Lamb (UL/CSA), 1000 watts, 1.3 H.P. Brush Motor: 1.7 amp - cfm 90 Brushroll: Polyethylene with steel shaft Casters Combination Teflon and Nylon Brush strip Replaceable without brushroll removal Electronic Sensing: Full bag, bristle contact, belt breakage, brushroll blockage and airway block Filtration 3 stage, HEPA filtration Wand Chrome steel &amp; Hose Wire reinforced Tools on Board: Dusting and crevice dB 69 at 3 feet, 65 at 12 feet CSA NRTL/C Approved Yes Warranty 1 year motor, parts, workmanship</p> <p>Size/Color - 14" cleaning width - Blue</p> <p>Acceptable brands - Powr-Flite PF14</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**Page **27** of **33**

---

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 32	2	EA	<b>VACUUM, UPRIGHT (DUAL MOTOR)</b>	\$ _____	\$ _____
153422			Vacuum motor: 120V, 60 Hz, 1000W, 9 amp, 2 stage Brush motor: 120 V, 60 Hz, 350 Watt Suction Airflow: 92" Brush Speed: 2800 RPM Cleaning Path: 17.5" Filtration: 2-ply paper filter bag, HEPA exhaust filter Bag: 4.2 qt. Cord length: 50' Sound Level: 69 dBA 22 lbs.  <u>Includes:</u> 4:1 stretch hose, wand, crevice & upholstery tools.  Size/Color - 13" x 18" x 44"  Acceptable brands - Clarke Carpetmaster 218 #9060508010 <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	<hr/> BRAND/MODEL # <hr/> Is item available now? Give due date	
# 33	5	EACH	<b>VACUUM, UPRIGHT (DUAL MOTOR)</b>	\$ _____	\$ _____
153527 (3) 153495 (1) 153548 (1)			<u>Specifications:</u> VACUUM MOTOR 120V, 1.2hp, 7.9A, 915W POWER CORD LENGTH: 40 ft.) SWEEPING PATH WIDTH: 14 in. includes edge cleaning VACUUM BAG CAPACITY: 5.2 qts FILTRATION SYSTEM Triple filtration: Filter bag, secondary filter and exhaust filter. High efficiency (99.9%) to 0.1 micron DECIBEL RATING AT OPERATOR'S EAR, INDOORS ON CARPET: 69.5 dB(A) 21 lbs.  <u>Components:</u> 1. EZGrip Handle; 2. Carrying Handle; 3. Cleaning Wand; 4. Expandable Vacuum Hose; 5. Onboard Crevice Tool; 6. Filter Bag Compartment Lid; 7. Bag Compartment Lid Latch; 8. Electronic Sensor System; 9. Power ON/OFF Switch; 10. 12m (40 ft) Power Cord; 11. Quick-Release Cord Hook; 12. Lower Cord Hook; 13. Exhaust Filter Cover; 14. Brush Base w/ Edge Cleaning Shoe; 15. Brush Height Adjustment Dial; 16. Handle Release Latch  Size/Color - 14.5"L x 14"W x 47"H  Acceptable brands - Tennant Heavy Duty Upright #V-HDU-14 <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only	<hr/> BRAND/MODEL # <hr/> Is item available now? Give due date	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 28 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 34	1	EA	<b>VACUUM, WET/DRY</b>	\$ _____	\$ _____
153546 (1)			<p>The unique variable wheel pattern allows for increased maneuverability and improved productivity while offering the performance, filtration and durability.</p> <p>Watts: 1380 W Decibels: 69 dBA Airflow: 105 CFM Static Lift: 95 in. Amps: 9.5 A Capacity: 20 gallon 70 lbs. Power Supply: 50' cord, 14 AWG</p> <p>Includes: 10' Hose, Two-Piece Wand, Bristle Floor Tool, Squeegee Tool, Crevice tool, Dust Brush, Fine Dust Filter and ProGuard Wet Filter.</p> <p>PLUS 28" Front Mount Squeegee increases productivity and is ideal for fast floor stripper recovery and flood restoration applications.</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
		Size/Color -	20 gallon		
		Acceptable brands -	ProTeam Pro Guard 20 #107131 / Squeegee 107185		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 29 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 35	1	EA	<b>VACUUM, WET/DRY</b>	\$ _____	\$ _____
153495			Airflow at Orifice: 112 cfm Waterlift at Sealed Orifice: 107" Motor: 10.7 Amps, 5.7"D, 1.6 HP, 2 Stge, 120V, 1253 Watts Filter Description: Cloth bag/paper bag/intake filter Recovery Tank Wet Capacity: 16 Gal. Filter: Cloth bag / paper bag / intake filter Vacuum Hose Length: 10' Chassis Construction: Rotationally-molded polyethylene Caster Diameter: 4" Wheel Diameter: 10" Electric with pump out Standard Equipment: 10' x 1.5" vacuum hose & cloth filter bag Power Cord: 50' electric 64 lbs.  PLUS: 26" Front Mounting Squeegee Kit		
		Size/Color -	34"H x 30"L x 20"W - 16 gal		
		Acceptable brands -	Tennant V-WD-16P & Nobles #190108 (squeegee) <input checked="" type="checkbox"/> or approved equal (sample/literature required) <input type="checkbox"/> only		
<hr/>					

\_\_\_\_\_  
BRAND/MODEL #

\_\_\_\_\_  
Is item available now?  
Give due date



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 30 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 36	1	EA	<b>VACUUM, WET/DRY - PLUS TOOL KIT</b>	\$ _____	\$ _____
153548			<p>The unique variable wheel pattern allows for increased maneuverability and improved productivity while offering the performance, filtration and durability.</p> <p>Watts: 1380 W Decibels: 69 dBA Airflow: 105 CFM Static Lift: 95 in. Amps: 9.5 A Capacity: 20 gallon 70 lbs. Power Supply: 50' cord, 14 AWG</p> <p>Includes: 10' Hose, Two-Piece Wand, Bristle Floor Tool, Squeegee Tool, Crevice tool, Dust Brush, Fine Dust Filter and ProGuard Wet Filter.</p> <p>PLUS 28" Front Mount Squeegee increases productivity and is ideal for fast floor striper recovery and flood restoration applications. (107185)</p> <p>Tool Kit includes: 56" Two-Piece Two-Bend Aluminum Wand w/Button Lock, Squeegee Tool, 14" Hard Floor Tool w/Nylon Brush, 11" Crevice Tool, 3" Dust Brush w/ Reducer (107187)</p> <p>Size/Color - 20 gallon</p> <p>Acceptable brands - ProTeam Pro Guard 20 107360/Squeegee 107185/ Kit 107187</p> <p><input checked="" type="checkbox"/> or approved equal (sample/literature required)</p> <p><input type="checkbox"/> only</p>	<p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 31 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 37	7	EA	VACUUM, WET/DRY (CANISTER)	\$ _____	\$ _____
WDC			<div>Features:<ul style="list-style-type: none"><li>• 5.0 Peak Hp Motor</li><li>• Sound Reduction Technology</li><li>• 12 Gallon drum</li><li>• 4 Swivel Casters</li><li>• On-board Accessory Storage</li><li>• Lower Center of Gravity</li><li>• 1-Layer Standard Filter</li><li>• Blowing Capability</li><li>• Tug-A-Long® Locking Hose</li><li>• Large Built-In Drain</li><li>• Included Accessories: 2-1/2" x 7' Tug-A-Long® Locking Hose, 2 Extension Wands, Utility Nozzle, Car Nozzle, Wet Nozzle, &amp; 1-Layer Paper Pleated Filter</li></ul></div> <div>Specifications: Motor: Peak Horsepower: 5.0, Air Watts: 227, Voltage: 120, Amps: 10.0 Cord Length: 15' Construction: High Impact Polypropylene U.L Listed Filter Surface Area: 1,600 sq. in. Net weight: 16.5 lbs.</div> <div>Size/Color - 12 gallon - orange</div> <div>Acceptable brands - Ridgid WD1270</div> <div><input checked="" type="checkbox"/> or approved equal (sample/literature required)</div> <div><input type="checkbox"/> only</div>	<div>_____</div> <div>BRAND/MODEL #</div> <div>_____</div> <div>Is item available now? Give due date</div>	



KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
(907) 714-8876

Bid #112-15

Page 32 of 33

VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 38	1	EA	<b>VACUUM, WIDE AREA</b>	\$ _____	\$ _____
153484			Dual 1-HP vacuum motors provide impressive cleaning muscle in a single 30-inch (76.2 cm) pass. A unique vacuum muffling system, combined with extraordinary filtration makes it exceptionally quiet wide-area vacuum. The large rear wheels and front swivel casters mean easy maneuverability. The Pacer 30's compact profile, adjustable handle, and self-propelled brush action make it easier and less tiring to use, compared to competitive vacuums.		
			<u>Specifications:</u> Vacuum Motors: 2 single stage, 115V, 1 HP (2HP total). Brush Motor: 115V, 0.33 HP Brush: Speed 1725 RPM, 30"W Filtration: 4-stage clean air system. 3 internal and 1 exhaust filter (HEPA option). Capacity: 1.5 bu, cloth with zipper closure with disposable paper filter bag. Switches & Controls: Dual deadman levers Wheels: Two 10 in (25.4 cm) rubber Casters: Two 2 in (5 cm) swivel type Cord: 75' Overload Protection: 17.5 amp reset circuit breaker Sound Level: 69 dBA		
		Size/Color -	43.5"L x 31.75"W x 36"H		
		Acceptable brands -	NSS Pacer 30		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		

BRAND/MODEL #

Is item available now?  
Give due date





**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department  
139 E. Park Avenue  
Soldotna, Alaska 99669  
**(907) 714-8876**

**Bid #112-15**

Page **33** of **33**

**VENDOR NAME**

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	-----	------	-------------------------	------------	-------------

# 39	1	EA	<b>VACUUM, WIDE AREA</b>	\$ _____	\$ _____
153482			Dual counter- rotating brushes agitate, lift and clean both sides of the carpet nap removing 50% more soil in one pass. Floating brush deck maintains constant contact with carpet surface and requires no operator adjustments.	_____	
				BRAND/MODEL #	
				_____	
				Is item available now?	
				Give due date	
			<u>Specifications:</u> Brush: Two, 26" Wide w/ Nylon Bristles Brush Motor: .5 hp Rear Wheels: Two, 10" Non-Marking Front Wheels: Two, 3" Non-Marking Electrical: 115V Power Cord: 75' Accessory Tool Holder Filter Bags: Enclosed, Top Fill, Disposable Paper Bag. 1 Bushel Capacity 164 lbs.		
		Size/Color -	26"		
		Acceptable brands -	Windsor NuWave Wide Area Vacuum #1.012-533.0		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		

# 40	1	PK	<b>WASTE COLLECTOR (MOBILE)</b>	\$ _____	\$ _____
153488			Mega BRUTE® Mobile Waste Collector is a highly maneuverable and versatile waste collection and sortation system.	_____	
				BRAND/MODEL #	
				_____	
				Is item available now?	
				Give due date	
			<u>Specifications:</u> High capacity: 120 gallons, 400 lbs. Highly maneuverable "diamond" wheel and caster pattern. Ergonomic, easy-access rear doors. Waste sortation options with Slim Jim® containers and can liner retainer. (Photo shown with 3540 yellow) Integrated storage for cleaning supplies. Highly aesthetic, sleek design Pack quantity: 3 each		
		Size/Color -	52.5"L x 27.5"W x 42.5"H - Black		
		Acceptable brands -	Rubbermaid Mega BRUTE #9W71		
			<input checked="" type="checkbox"/> or approved equal (sample/literature required)		
			<input type="checkbox"/> only		