

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
01	5	EA	<p><b>FM ASSISTIVE LISTENING SYSTEM, LARGE AREA</b></p> <p>Up to 1000' operating range. Transmitter is FCC Part 15 compliant.            OLED display, push-button menus.            Microprocessor controlled.            Accommodates any number of listeners.            Adjustable power output.            Combo XLR, ¼" TRS inputs.            Meets ADAAG guidelines.</p> <p>System includes:</p> <p>(1) <u>PPA T45NET transmitter</u>: Desktop style; Input: 100-240 VAC, 50/60 Hz IEC Line Cord; Output: 24 VDC, 750 mA, 18W. 2.5mm ID center positive barrel connector; Approvals: UL, CUL, Energy Str V, CSA listed. Size: 8.45" W x 8.25" D x 1.72" H. Color: Black/Silver.</p> <p>(4) <u>PPA R37 receivers</u>: features easy-to-use, seek-button channel selection with access to 17 pre-set wideband frequencies between 72-76 MHz. Size: 4.1" L x 2.85" W x 1.38" D. Color: Black.</p> <p>(2) <u>NKL 001 18" Neckloop</u>: Use with hearing aids equipped with a T-coil switch or an induction earphone. 3.5 mm plug, mono, 8 - 16 Ω. Moderate to severe hearing loss.</p> <p>(4) <u>EAR 013 Single Mini Earbuds</u>: Fits in the outer part of the ear. 32 Ω, mono</p> <p>(1) <u>ANT 025 Whip Antenna</u>: 72-76 MHz FM, telescoping, 39" long.</p> <p>(1) <u>WCA 013 Audio Cable</u>: Male RCA to male RCA audio cable, 3 ft.</p> <p>(1) <u>TFP 048 Power Supply</u>: Universal switching power supply</p> <p>(1) <u>WLC 004 Main Power Cord (U.S.)</u>: AC main power cord, 3-pin (grounded), US main power cord, 0.60 lbs, Black, 7.5', 18/3. IEC, CN.</p> <p>(4) <u>BAT 001-2</u>: 2 AA Alkaline Batteries. 1.2 Volt.</p> <p>(1) <u>IDP 008 Wall Plaque</u>: 10-3/8" L x 6-1/4" W x 1/8"H - Self Adhesive.</p> <p>(1) <u>ANT 005 Remote Coaxial Antenna</u>: 72-76 MHz FM, 22ft overall cable length with last 80inches being active antenna.</p> <p>(1) <u>RPK 005 Rack Panel Kit</u>: Mounts one transmitter or modulator (1/2 space product) in one IEC rack space.</p> <p>8.45"W x 8.25"D X 1.72"H Black/Silver</p>	<p>\$ _____ \$ _____</p> <p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
			<p><b>WILLIAMS SOUND PERSONAL PA 457 PRO FM #PPA 457 PRO</b> (or approved equal)</p>	182095	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
02	22	EA	<p><b>FM RECEIVER</b></p> <p>Features easy-to-use, seek-button channel selection with access to 17 pre-set wideband frequencies between 72-76 MHz. Digitally synthesized for even greater audio clarity and stability. Versatile 3.5mm stereo/mono jack allows for a variety of earphone and headphone options, and is neck loop/telecoil-equipped-hearing-aid compatible.</p> <p>Intermediate Freq.: 75kHz            FM Deviation: 75kHz            De-Emphasis: 75 μS            LED Indicator: Power: Green; Low Battery: Flashes Green            AFC Range: ± 120 kHz            Input Overload: 100 mV            Frequency Response: 200 – 15 kHz            Modulation: FM, +/- 75 kHz peak deviation            Signal-to-Noise Ratio: 65 dB min @ 100 Uv</p> <p>System Includes:            (1) PPA R37N Receiver            (1) BAT 001- 2 AA 1.2V Alkaline Batteries            (1) EAR 013 Single Mini Earbud 32 Ω, mono            (1) CLP 023 Belt Clip</p>	<p>\$_____ \$_____</p> <p>_____  <b>BRAND/MODEL #</b></p> <p>_____  <b>Is item available now?            Give due date</b></p>	
			<b>WILLIAMS SOUND #PPA R37-00</b> (or approved equal)	182095	
03	22	EA	<p><b>MONO EARBUD, SINGLE</b></p> <p>Single Mini Earbud. Fits in the outer part of the ear. 32 Ω, mono.            Plug: 3.5 mm mono            Cord Length: 39"            Impedance: 32 Ohms            Frequency Range: 20 - 20kHz            Max input power: 5mV            Sensitivity: 128dB @ 1kHz            Driver size: 13 mm</p> <p>Black</p>	<p>\$_____ \$_____</p> <p>_____  <b>BRAND/MODEL #</b></p> <p>_____  <b>Is item available now?            Give due date</b></p>	
			<b>WILLIAMS SOUND #EAR 013</b> (or approved equal)	182095	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
04	8	EA	<p><b>NECKLOOP (MONO PLUG)</b></p> <p>Use with hearing aids equipped with a T-coil switch or an induction earphone. For individuals with moderate to severe hearing loss. Integrated safety breakaway device. In the event the neckloop cord becomes entangled with an object in motion, the breakaway device will disconnect the neckloop from the user.</p> <p>Features: 3.5 mm plug Monoaural 8 - 16 Ω 18" Cord</p> <p>Adult Size</p>	<p>\$_____ \$_____</p> <p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
			<b>WILLIAMS SOUND #NKL 001 (or approved equal)</b>	182095	
05	2	EA	<p><b>BODY-PACK CHARGER – 12 BAY</b></p> <p>Drop-in, 12-unit charger for body-pack style transmitters and receivers Power Supply Input: 90 - 240 VAC input Power Supply: TFP 037 Switching AC adapter, 5 VDC - 4A output Charging Rate: 16 hour charge &amp; Pulse/Maintain - 140 mA Charging Time: 16 hours nominal Unit Capacity: 12</p> <p>Individual Charging Indicators: Red LEDs. LEDs blink when batteries are charged.</p> <p>Includes: (1) 12-bay charger (1) Power Supply (TFP 037) (1) Main Power Cord for USA (WLC 004)</p> <p>Black</p>	<p>\$_____ \$_____</p> <p>_____</p> <p>BRAND/MODEL #</p> <p>_____</p> <p>Is item available now? Give due date</p>	
			<b>WILLIAMS SOUND #CHG 3512 (or approved equal)</b>	182095	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
06	6	EA	<p><b>BODY-PACK CHARGER – 2 BAY</b></p> <p>Dual drop-in charger for body-pack style transmitters and receivers.            Power Supply Input: 100-240 VAC, 50-60Hz, 0.5-0.3 A            Output: 6 VDC, 1.5 A            Charger Power Input: 6 VDC, 300mA, Center Positive.            Output: 100mA per bay.            Charging Time: 16 hours nominal            Unit Capacity: 2</p> <p>Indicators: 2 Red LEDs - one for each bay.            LEDs are lit when charging.</p> <p>Includes Power Supply</p>	\$ _____	\$ _____
			<b>WILLIAMS SOUND #CHG 3502</b> (or approved equal)	182095	
07	5	EA	<p><b>AUDIO CABLE</b></p> <p>Male RCA cable to 3.5 mm mono plug            Connector Type: RCA Male 3.5mm plug            Cable Type: Two-conductor</p> <p>3'</p>	\$ _____	\$ _____
			<b>WILLIAMS SOUND #WCA 092</b> (or approved equal)	182095	
08	5	PKG	<p><b>EARBUD REPLACEMENT PADS</b></p> <p>100 pack</p> <p>For use with EAR 013 single mini earbud</p>	\$ _____	\$ _____
			<b>WILLIAMS SOUND #EAR 015-100</b> (or approved equal)	182095	

\_\_\_\_\_  
Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
09	18	PKG	<b>AA BATTERIES, RECHARGEABLE</b>  4 per package  Are perfect for frequent use, heavy drain devices. Can be charged hundreds of times to reliably supply power. 2500 mAh 1.2V NiMh (Nickel metal hydride)	\$ _____    \$ _____  _____ <b>BRAND/MODEL #</b>  _____ Is item available now? Give due date	
			<b>ENERGIZER RECHARGEABLE 2500MAH (or approved equal)</b>	182095	