



# KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**

Page **1** of **11**

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
4	EA	<b>SELF CONTAINED CARPET EXTRACTOR</b> Solution Tank: 8 gal. Recovery Tank: 6 gal. Low Rate Rest. Mode: 0.7 gpm @ 60 psi Vacuum Motor: 1.5 hp, 3 stage Brush Motor: 1/3 hp Brush Size / Cleaning Path: 16 in. Vacuum Shoe: 18 in. Power Cable: 50 ft. Fixed Waterlift: 117 in.	\$ _____	\$ _____
		Size/Color - 94 lbs.		
		Acceptable brands - Nilfisk-Advance AquaClean 16ST Part #56 265 003 <input type="checkbox"/> or approved equal (sample/literature required) <input checked="" type="checkbox"/> only		
3	EA	<b>COMMERCIAL UPRIGHT CARPET VACUUM</b> Total Power: 120 V/60 Hz, 1,130 W Vacuum Motor: 120 V/60 Hz 1 hp, 860 W, 7.6 amps, 90 in. sealed waterlift, airflow 91 cfm two-stage, flow-through type motor with thermal protection Brush Motor: 120 V/60 Hz, 0.33 hp, universal type Brush: 4,000 rpm working speed, 15 in., chevron-spiraled, nylon bristle in ABS core. Height adjustable Sound Level: 72 dB A Power Cable: 40 ft. long, 18/3 wire Collector Bag: Reusable cloth or disposable paper. 400 cubic inch capacity, enclosed in sealed compartment. Built-in Hose & Wand	\$ _____	\$ _____
		Size/Color - 32 lbs.		
		Acceptable brands - Nilfisk-Advance CarpeTwin 16XP Part #56 323 777 <input type="checkbox"/> or approved equal (sample/literature required) <input checked="" type="checkbox"/> only		

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 2 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
3	EA	<b>AUTOMATIC CARPET EXTRACTOR</b> Solution and Recovery Tank Capacity: 20 gal. Solution Pump Type: 100 PSI, bypass, 115V Vacuum Motor: 3-stage bypass, 115V, 1.75 HP Closed Waterlift: 125" Drive Motor: 0.05 HP, variable speed, 115V Current: 15 amps Brush Motor: Per. magnet, 0.25 HP, 115V, RPM 2,100 Cord: 12-3 SJT, detachable twist-lock, 75 ft. Sound Level: 75 dBA @ operator Brush: 22" cylindrical Float Shut-Off: Flap type Accessory Valve: Quick couple type, all brass	\$ _____	\$ _____
Size/Color - 41 x 23.5 x 47" / 165 lbs.				
Acceptable brands - NSS Pony 20 SCA				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				
<hr/>				
1	EA	<b>SURFACE PREPARATION MACHINE</b> Pad Size: 14" x 20" Motor: 1.5 hp, 1725 rpm, 9.5 amp draw under normal operating conditions, overload protection Frame: Powder coated 10 gauge steel, heavy duty frame construction Wheels: 5" x 2" non-marking transport wheels w/ heavy duty 3/4 solid steel axle Handle: Powder coated 12 gauge steel w/padded handgrips for operator comfort w/unique slide pinch handle locking mechanism Noise Level: Less than 62 DB Cord: 50 ft.	\$ _____	\$ _____
Size/Color - 125 lbs.				
Acceptable brands - Square Scrub EBG-20				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 3 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>BACKPACK FLOOR CARE APPLICATOR SYSTEM COMPLETE</b>
---	----	---

\$ _____	\$ _____
----------	----------

For use on acrylic polymer floor finishes  
Bucketless, closed loop, self-sealing bag  
Eliminates the 10% - 20% chemical waste associated  
w/conventional application methods  
Packing waste is reduced by 83%  
Includes applicator pads

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color -

Acceptable brands - Ecolab Phazer Product Code: 9215-6008

☐ or approved equal (sample/literature required)☒ only

1	EA	<b>CARPET SPOT EXTRACTOR</b>
---	----	------------------------------

\$ _____	\$ _____
----------	----------

Solution Tank: 2 gal.  
Recovery Tank: 2 gal. w/2" threaded drain cap  
Rotational molded polyethylene  
Solution Pump: 38 psi  
Vacuum Motor: 2-stage, 1 hp, w/78.5" waterlift, 87.7 cfm  
Power Cable: 25 ft. 16/3 wire detachable cable  
Hand Tool: Clear plastic, 3.5" wide w/stainless steel handle  
Recovery Hose: 8' x 1" wire-wound PVC  
Solution Hose: 9' x 1/4" nylon braided PVC  
Sound Level: 73 dB A average at 3 feet from machine

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color - 25.75 lbs.

Acceptable brands - Nilfisk-Advance AquaSpot Part #56 220 000

☐ or approved equal (sample/literature required)☒ only

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 4 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>ACCESSORIES CART FOR CARPET SPOT EXTRACTOR</b>	\$ _____	\$ _____
---	----	---	----------	----------

Includes upholstery tool (Spray nozzle positioned inside vacuum opening)

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color -

Acceptable brands - Nilfisk-Advance AquaSpot Part #56 220 018

☐ or approved equal (sample/literature required)☒ only

1	EA	<b>CANISTER VACUUM</b>	\$ _____	\$ _____
---	----	------------------------	----------	----------

Voltage: 115 V  
Rated Power: 1,100 W, 1.5 hp  
Protection Class: Class II, Double Insulation]  
Air Flow: 70 CFM  
Vacuum: 23kPa  
Waterlift: 84.3"  
Suction Power @ Nozzle: 290 W  
Sound Pressure Level, ISO 11203: 53 dB A  
Standard Filtration: 4 Levels  
Optional Filtration: Post Fan H.E.P.A.  
Dust Bag Capacity, Net: 2.4 gal.  
Cable Length: 50 ft.

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color - 13.5" H x 14.2" W x 18.2" D; 20 lbs.

Acceptable brands - Nilfisk-Advance CaniStar Part #905 6508 010

☐ or approved equal (sample/literature required)☒ only

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 5 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>SELF-CONTAINED CARPET EXTRACTOR</b> Amps: 14.2 A Voltage/watts: 120 V / 1710 watts Spray jets: 5 Pump pressure: 100 psi / 7 bar Pump motor volts: 120 V Brush rpm: 1,200 rpm Brush motor rpm: 1,800 rpm Brush motor amps: 1 amp Vacuum motor: 1.8 hp / 13 A Vacuum motor stages: 3-stage Waterlift: 137" / 3480 mm Airflow: 101 cfm / 2.86 cmm	\$ _____	\$ _____
---	----	---	----------	----------

Size/Color -

Acceptable brands - Tennant Model #1280

☐ or approved equal (sample/literature required)☒ only

3	EA	<b>CARPET EXTRACTOR</b> Solution Tank: 12 gal. Recover Tank: 9 gal. Flow Rate DCM Mode: 0.33 gpm @ 60 psi Flow Rate Rest: Mode 0.7 gmp @ 60 psi Vacuum Motor: 1.5 hp, 3 stage Brush Motor: 1/3 hp Brush Size / Cleaning Path: 18" Vacuum Shoe: 20" Power Cable: 50' Detachable Waterlift: 117"	\$ _____	\$ _____
---	----	--	----------	----------

Size/Color -

Acceptable brands - Nilfisk-Advance AquaClean 18FLX Part #56 265 001

☐ or approved equal (sample/literature required)☒ only

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 6 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

2	EA	<b>HARD FLOOR CONVERSION KIT FOR CARPET EXTRACTOR</b>	\$ _____	\$ _____
---	----	---	----------	----------

Converts AquaClean 18FLX carpet extractor into an automatic hard floor scrubber

Consists of squeegee blade that mounts on shoe

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color -

Acceptable brands - Nilfisk-Advance AquaClean Part #56 265 150

☐ or approved equal (sample/literature required)☒ only

2	EA	<b>BACKPACK VACUUM WITH ATTACHMENT KIT B</b>	\$ _____	\$ _____
---	----	--	----------	----------

Motor: 1221 watt / 10.6 amp

Airflow: 150 CFM

Static Lift: 100"

Sound Level: 66 dB

Four Level Filtration w/HEPA: 1190 sq. in. total area

Includes standard configuration kit #101336

Kit includes:

17" Crevice Tool

3" Dust Brush w/ Reducer

5" Upholstery Tool

56" Two-Piece Two-Bend Aluminum Wand w/Button Lock

14" E-Z Glide Floor Tool w/Nylon Brush

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color - 11 lbs.

Acceptable brands - ProTeam Super CoachVac HEPA #106573 / Kit #101336

☐ or approved equal (sample/literature required)☒ only



# KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**

Page 7 of 11

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
1	EA	<b>SELF-CONTAINED CARPET EXTRACTOR</b> Tank Solution: 12 gal. Tank Recovery: Dual 6 gal. Solution Pump: 100 PSI bypass, diaphragm type, 115 - 126.5 watts Vacuum motor: Dual, 2-stage tangential, 110-120V, 3.5 HP 200 CFM Current: 120V - 15 amps, 240V - 8 amps Brush motor: Permanent magnet Tank: Rotocast polyethylene Frame: Painted steel Spray Jets: 2 Bras Brush RPM: 2100	\$ _____	\$ _____
Size/Color - 38" H x 48" L x 19" W; 120 lbs.				
Acceptable brands - NSS Stallion 12 SC				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				
2	EA	<b>20" AUTOMATIC FLOOR SCRUBBER</b> Battery Powered Solution Tank Capacity: 13 gal. Recovery Tank Capacity: 15 gal. Cleaning Path: 20" Pad Pressure: 50 lbs. Squeegee Width: 28" Brush Motor: .75 hp, 2 stage Waterlift: 55" Batteries: Two 12 volt, 105 amp batteries Max. Run Time: 3.5 hours	\$ _____	\$ _____
Size/Color - 38.5" H x 53.5" L x 22" W; 280 lbs.				
Acceptable brands - Viper Fang 20				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 8 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>WALK-BEHIND SWEEPER</b> Max Productivity @ 2.5 mph: 31,200 ft. squared Hopper Capacity: 2.1 ft. cubed Dust Filter: Polyester panel filter, 10.8 ft. squared Motors: Main broom/traction = 0.3 hp, Side broom 0.05 hp; Vacuum fan 0.07 hp Power Source: 12 V, 87 Ah maintenance free gel battery Max Speed: 2.5 mph Sound Level: 59 dB A Battery Charger: Standard onboard, 12 V, 6 amp	\$ _____	\$ _____
---	----	--	----------	----------

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color - 39" L x 31.5" W x 24.4" H; 171 lbs.

Acceptable brands - Nilfisk-Advance Terra 28B Part #908 470 2010

☐ or approved equal (sample/literature required)☒ only

1	EA	<b>WET / DRY TANK VACUUM</b> Tank capacity: 13 gal. Volume air flow: 84 CFM Waterlift: 82" Motor: 1,350 W / 1.8 hp Power cord: 50' Main filter area: 350" squared Sound Level: 64 dB A Hose: 10' / 1.5" Voltage / Frequency: 120 V / 50-60 Hz	\$ _____	\$ _____
---	----	--	----------	----------

---

BRAND/MODEL #

---

Is item available now - if not  
give due date?

Size/Color - 25" x 23" x 35"; 42 lbs.

Acceptable brands - Clarke Summit 13 Part #905841010

☐ or approved equal (sample/literature required)☒ only



**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 9 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
1	EA	<b>AUTOMATIC SCRUBBER WITH GEL BATTERIES</b> Scrub head type: Disc Drive system: 0.3 hp variable forward & reverse Max. speed: 3.5 mph Max. productivity @ 3.0 mph: 26,400 ft squared Scrub pressure: Floating: 50 lbs.; Locked: 70 lbs. Scrub head speed: 170 rpm Squeegee width: 29.9" Voltage: 24 V Power source: (2) 12 V batteries Onboard batter charger: 24 V Solution tank: 14.5 gal. Recovery tank: 14.5 gal	\$ _____	\$ _____
Size/Color - 52" L x 21.3" W x 42.9" H; 240lbs.				
Acceptable brands - Nilfisk-Advance Adfinity 20D Part #56 317 328				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				
<hr/>				
2	EA	<b>SOLUTION RETRIEVER</b> 36 gallon capacity No motors No batteries No electric cords 30" squeegee path retrieves solution at rate of up to 30,000 square feet per hour	\$ _____	\$ _____
Size/Color - 65 lbs.				
Acceptable brands - Aztec Guzzler 620				
<input type="checkbox"/> or approved equal (sample/literature required)				
<input checked="" type="checkbox"/> only				

**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**Page 10 of 11

---

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>SOLUTION APPLICATOR</b> 36 gallon capacity Spreader brushes adjust from 52" down to 26" Manually powered No batteries No motor Applies over 50,000 square feet of solution in less than one hour	\$ _____	\$ _____
---	----	---	----------	----------

\_\_\_\_\_ BRAND/MODEL #

\_\_\_\_\_ Is item available now - if not give due date?

Size/Color - 90 lbs.

Acceptable brands - Aztec Liquidator 520

☐ or approved equal (sample/literature required)☒ only

1	EA	<b>FLOOR STRIPPING SYSTEM</b> Engine: Kawasaki 17 hp Engine speed: 3400 RPM Centrifugal clutch: standard Head pressure: 350-400 lbs. Pad / brush size: 10" Pad / brush speed: 1150 RPM Brush drive size: 28" Brush drive speed: 200 Starter: 12 volt battery Deck height: 6.5" Handle: Gusseted steel T-Bar Sound level: 80-82 db	\$ _____	\$ _____
---	----	---	----------	----------

\_\_\_\_\_ BRAND/MODEL #

\_\_\_\_\_ Is item available now - if not give due date?

Size/Color - 32" W x 42" L x 42" H; 472 lbs.

Acceptable brands - Aztec Sidewinder 30"

☐ or approved equal (sample/literature required)☒ only



# KENAI PENINSULA BOROUGH SCHOOL DISTRICT

Purchasing Department

139 E. Park Avenue

Soldotna, Alaska 99669

(907) 714-8876 FAX (907) 262-7165

**Bid #136-10**

Page 11 of 11

**VENDOR NAME**

Qty	Unit	Item and Specifications	Unit Price	Total Price
-----	------	-------------------------	------------	-------------

1	EA	<b>BRUSH FOR CARPET EXTRACTOR HARD FLOOR CONVERSION KIT</b> Aggressive scrubbing brush for hard floors	\$ _____	\$ _____
			_____	
			BRAND/MODEL #	

Is item available now - if not  
give due date?

Size/Color -

Acceptable brands - Nilfisk-Advance Midgrip 240 Hard Floor Brush Part #56 265 178

☐ or approved equal (sample/literature required)

☒ only

1	EA	<b>BRUSH FOR CARPET EXTRACTOR HARD FLOOR CONVERSION KIT</b> Light scrubbing brush for hard floors	\$ _____	\$ _____
			_____	
			BRAND/MODEL #	

Is item available now - if not  
give due date?

Size/Color -

Acceptable brands - Nilfisk-Advance Nylon Hard Floor Brush Part #56 265 177

☐ or approved equal (sample/literature required)

☒ only